

Annexure-I

Summary of Application status for October, 2017

Status	Regulation	RIO				
		East	North-East	South	West	North
No. of Applications pending as on 01.10.2017	43 & 30	26*	9*	44*	118	34
No. of Applications received during October, 2017	43 & 30	23	5	46	33	17
	43	24	2	23	27	18
No. of inspections carried out during October, 2017	30	11	3	18	6	5
Details in Annexure-II	Total	35	5	41	33	23
	43	6	1	25	46	8
	30	8	8	18	34	20
No. of applications pending as on 01.11.2017	Total	14	9	43	80**	28

* difference from the previous month pending status is due to closing of applications which were already inspected and approved but not closed so far.

**difference is due to non inclusion of 3 self certifications, 6 incomplete applications, 8 wrong applications & 21 applications which were already inspected and approved but not closed so far.

Inspections carried out during October 2017 - R/O (East)									
S.N	Recg	Installation Name	Utility	Location	State	Application Received Date	Inspection Date	Inspector Name & Designation	Status
1	43	400K.V. 125 MVar Bus Reactor-2 Bus Reactor-3	PGCIL	Ramchandrapur	Jharkhand	28-09-2017	3-10-2017	S. Kejriwal, DD	Inspection Report issued on 09-10-2017
2	43	400K.V. 2 Bays-415.418 Extension work at PGCIL 765/400K.V Pooling Station at Kenapalli, Sundargarh for M/s Vedanta Limited	Vedanta Ltd	Bhadrakunda Sundargarh	Odisha	28-08-2017	4-10-2017	S. Kejriwal, DD	Inspection Report issued on 09-10-2017
3	43	400K.V GIS at Sundargarh S/S	PGCIL	Sundargarh	Odisha	07-09-2017	4-10-2017	S. Kejriwal, DD	Approval issued on 24-10-2017
4	43	765/132 KV Switchyard, 765/132V ICT, 11KV Station Switchgear Station Transformer 110 MVA, Segregated Phase Bus Duct 1.2,5,6 and V 11KV and 3.3 KV	NTPC	Sundargarh	Odisha	25-09-2017	5-10-2017	S. Kejriwal, DD	Inspection Report issued on 13-10-2017
5	43	Inspection of 132 KV power cable	NTPC	Sundargarh	Odisha	25-09-2017	5-10-2017	S. Kejriwal, DD	Inspection Report issued on 13-10-2017
6	43	Elevator	ESL-PGIMSIR	Daripahi	Odisha	05-10-2017	5-10-2017	S. Kejriwal, DD	Inspection Report issued on 13-10-2017
7	43	Elevator 2 nos	ESL-PGIMSIR	Jaka	West Bengal	29-08-2017	11-10-2017	S. Kejriwal, DD	Inspection Report issued on 13-10-2017
8	43	INDIAN OIL CORPORATION LIMITED PHBPL HALDIA	IOCL	Haldia	West Bengal	14-09-2017	11-10-2017	S. Kejriwal, DD	Inspection Report issued on 13-10-2017
9	30	INDIAN OIL CORPORATION LIMITED PHBPL HALDIA	IOCL	Haldia	West Bengal	09-05-2017	26-10-2017	S. Kejriwal, DD	Inspection Report issued on 27-10-2017
10	30	Electrical Installations at Berth No. 4A	IOCL	Haldia	West Bengal	09-06-2017	26-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
11	30	INDIAN OIL CORPORATION LIMITED, HMHB PIPELINES, HALDIA PUMP STATION	IOCL	Haldia	West Bengal	19-06-2017	26-10-2017	S. Kejriwal, DD	Inspection Report issued on 27-10-2017
12	30	HPCL, Haldia Terminal	HPCL	Haldia	West Bengal	26-09-2017	26-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
13	30	PRRPL Paradip	IOCL	Paradip	Odisha	12-07-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
14	30	PARADIP REFINERY, INDIAN OIL CORPORATION LIMITED	IOCL	Paradip	Odisha	12-09-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
15	43	Inspection of Lifts	AHMS	Bhubaneswar	Odisha	18-10-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
16	43	Inspection of Lifts	AHMS	Bhubaneswar	Odisha	18-10-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
17	43	Inspection of Elevator	National Dairy Development Board	Angul, Jatu	Odisha	20-10-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
18	43	Substation-1, additional 6 kV panel at SS312AN, SS-01, SILO, PC-2, PC-3, TT-6, CC-6, Electrical Heat Tracing, RLS and Pump Houses	IOCL	JAGATSINGHPUR	Odisha	18-09-2017	31-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
19	43	Inspection of 765KV Angul-Jharsuguda Line, Switchable Reactor & Spare Reactor	PGCIL	Angul	Odisha	13-10-2017	31-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
20	30	LPG BOTTLING PLANT JATNI	HPCL	Jatu-Khurda	Odisha	15-09-2017	-	-	Application closed due to incomplete online application
21	30	Bharatix Reserve Bank Note Mithan Pw Ltd	RBI	Saboni	West Bengal	15-09-2017	-	-	Multiple application C/2017/00784
22	43	160 KVA Transformer at Boys Hostel, Utkal University, Vanvihar, Bhubaneswar	CPWD	Bhubaneswar	Odisha	18-09-2017	-	-	Self certification required
23	43	630 Amp 11 KV VCB 350 MVA and 500 KVA 11/0.433 KV transformer	CPWD	Salt Lake, Kolkata	West Bengal	25-09-2017	-	-	Self certification required
24	43	400 KV GAVA - NABINAGAR LINE 1 AND 2 BAYS EQUIPMENT	PGCIL	Gava	Bihar	28-09-2017	-	-	Application closed due to installation not yet completed
25	43	Inspection of 400 KV D/c Transmission Line of Vedanta Ltd from 765/400 KV pooling S/s of PGCIL at Kenapalli, Sundargarh	Vedanta Ltd	Jharsuguda	Odisha	03-10-2017	4-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
26	43	Inspection of BPCL Patna LPG Refining Plant	BPCL	Patna	Bihar	05-10-2017	31-10-2017	Farooque, DD	Inspection Report Under preparation
27	43	Inspection of WBSIEDCL, Jalpaiguri	Sasstra Seema Bai	Jalpaiguri	West Bengal	05-10-2017	-	-	Self certification required
28	30	Periodical at BPCL Refining Plant	BPCL	Farah, Patna	Bihar	05-10-2017	31-10-2017	Farooque, DD	Inspection Report Under preparation
29	43	Inspection of DG Set at LPG Terminal	IOCL	Paradip	Odisha	06-10-2017	-	-	Application closed due to incomplete online application
30	43	Inspection of DG SET	BPCL	Kapra, Durgapur	West Bengal	07-10-2017	-	-	Self certification required
31	43	Inspection of 6.6 KV Indoor Switchboard	Uranium Corporation of India	Jaduguda, East Singhbhum	Jharkhand	09-10-2017	-	-	Self certification required
32	30	Periodical of Paradip Terminal	IOCL	Paradip	Odisha	21-10-2017	-	-	Self certification required
33	43	Inspection of PHDPL-Projects	IOCL	Tulsihera	West Bengal	27-10-2017	28-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
34	30	Jatu LPG Refining Plant	HPCL	Jatu, Khurda	Odisha	30-10-2017	30-10-2017	S. Kejriwal, DD	Inspection Report Under preparation
35	43	Inspection of D/C 400 KV T/L of Vedanta Ltd	Vedanta Ltd	Jharsuguda	Odisha	03-10-2017	4-10-2017	S. Kejriwal, DD	Approval issued on 17-10-2017

S.N	Reg	Installation Name	Utility	Location	State	Application Received Date	Inspection Date	Inspector Name & Designation	Status
30/43									
31	43.32	MV Additions including motors,pumps,blowers,415V 125KVA DG Set,25KVA DG Set etc	Shanm Aihovs Pvt Ltd Unit-1	apakkam Commune, Pudukkottai	PDY	10-10-2017	10-10-2017	Mary francis, Director	Approval issued on 01-11-2017
32	43.32	MV Additions including motors,pumps,blowers,415V 125KVA DG Set etc	Shanm Aihovs Pvt Ltd Unit-11	apakkam Commune, Pudukkottai	PDY	10-10-2017	10-10-2017	Mary francis, Director	Approval issued on 01-11-2017
33	30	11KV/415V ESWC 561KVA TF,6.6KV/415V 630KVA TF,11KV/433V/S 7x1600kva,4x2500kva,2x2000kva TFs,HT Motors,LT Motors, etc	N.L.C India Ltd	Cuddalore	TN	20-07-2017	11-10-2017	Mary francis, Director	Inspection Report issued on 19-10-2017
34	43	11KV DP,11KV/433V 2X2500KVA TFs,2x1250KVA DG Sds, DBs, UPS & etc	N.L.C India Ltd	Neyveli	TN	06-09-2017	11-10-2017	M Rama Krishna, DI	Inspection Report Under preparation
35	43.32	11KV DP,11KV/433V 2X2500KVA TFs,2x1250KVA DG Sds, DBs, UPS & etc	Pastour Institute of India	Coramoor, Nilgiris	TN	13-09-2017	06-10-2017	Mary francis, Director	Inspection Report Under preparation
36	43	2x1.25MVA,4X1MVA,2x2.5MVA,2x2MVA,11/3,4SKV 3x16MVA	N.L.C India Ltd	Neyveli	TN	12-09-2017	11-10-2017	M Rama Krishna, DI	Inspection Report Under preparation
37	30	33KV Substation w/c TFs, DGs, Panels, DBs, C compressors, Pumps etc	SAH	Salem	TN	26-09-2017	30-10-2017	M Rama Krishna, DI	Inspection Report Under preparation
38	43	22KV DP,22KV/630V 2X1.6MVA TFs,22KV/11KV 315KVA TF,11T Panel & MV load etc	Bharati Gateway Terminal Pvt Ltd, VIOC	Tuticorin	TN	26-09-2017	10-10-2017	M Rama Krishna, DI	Inspection Report Under preparation
39	30	22KV/400Kv 3x250MVA GTs,22/11.5KV 2x65MVA UT,UCTs,11/6.6KV 2x16MVA Uts,11/415KV 2x2MVA,3x2.5MVA,2x1.6MVA,2x0.8MVA TFs,HT Sgs & Motors & MV eqpt etc	ILFS Tamilnadu Company Ltd	Cuddalore	TN	04-10-2017	11-10-2017	Mary francis, Director	Inspection Report issued on 19-10-2017
40	30	11KV/433V 6x1250KVA TFs,CHs,HT Panels,PCC Panels & 400KVA DG Set	ILFS Tamilnadu Company Ltd	Cuddalore	TN	11-10-2017	11-10-2017	Mary francis, Director	Inspection Report issued on 19-10-2017
41	30	600MW ICG2,250MVA GT,6.6kv/415 4x630KVA TFs,HT SGs, Motors etc	ILFS Tamilnadu Company Ltd	Cuddalore	TN	11-10-2017	11-10-2017	Mary francis, Director	Inspection Report issued on 19-10-2017

S.N	Reg	Installation Name	Utility	Location	State	Application Received Date	Inspection Date	Inspector Name & Designation	Status
Inspections carried out during October 2017 -RIGI North									
1	43	750 KVA DG INSTALLATION	IOCL	Varanasi	U.P	13/09/2017	23/10/2017	Santosh Kumar, DD	Inspection Report issued on 27/10/2017
2	43	765/400 K.V Chittorgarh Sub-Station	PGCIL	Chittorgarh	Rajasthan	14/09/2017	13/10/2017	Prakash Khichi, Dir	Inspection Report issued on 16/10/2017
3	43	MUNPL Switchyard 400 KV Bay-424,423,412,411,410 & 132 KV 204,206,208,209,210,212,214,215,216	MUNPL	Alwar	U.P	20/09/2017	23/10/2017	Santosh Kumar, DD	Inspection Report issued on 27/10/2017
4	43	1HEV 5 unit kiosk-3 VCB 2 LBS	NLC	Bikaner	Rajasthan	27/09/2017	18/10/2017	Prakash Khichi, Dir	Inspection Report Under preparation
5	43	2 nos. 400 K.V line bays at RVPNL, Chittorgarh Sub-station	PGCIL	Chittorgarh	Rajasthan	28/09/2017	14/10/2017	Prakash Khichi, Dir	Inspection Report issued on 16/10/2017
6	43	2 Nos. of bays at 400 KV Bahai (RRVNL) substation	NRSS XXXVI TRANSMISSION LTD.	Bharuani	Haryana	04/10/2017	09/10/2017	Prakash Khichi, Dir	Approval issued on 23/10/2017
7	43	765/400KV POWERGRID AMER SUBSTATION	POWERGRID CORPORATION OF INDIA LTD	Pusangan, Amer	Rajasthan	09/10/2017	12/10/2017	Prakash Khichi, Dir	Inspection Report issued on 16/10/2017
8	43	400/220 KV SUBSTATION (RVPNL)	POWERGRID CORPORATION OF INDIA LTD	JETHANA, AMER	Rajasthan	09/10/2017	12/10/2017	Prakash Khichi, Dir	Inspection Report issued on 16/10/2017
9	43	11 KV HT Panel I No. 250 KVA Dry Type Transformer I No. LT Distribution	Kendriya Vidyalay PGCIL	Chittorgarh Sikar	Rajasthan	10/10/2017	13/10/2017	Prakash Khichi, Dir	Inspection Report Under preparation
10	43	400/220 KV SUBSTATION, SIKAR, POWERGRID	PGCIL	Sikar	Rajasthan	10/10/2017	22/10/2017	Prakash Khichi, Dir	Inspection Report issued on 26/10/2017
11	43	STTC of 2 x 2.5 MVA 1 x 800KVA Distribution Transformer for Upcoming DC Facility	NCMRWF	G B Nagar	U.P	12/10/2017	16/10/2017	Prakash Khichi, Dir	Approval issued on 24/10/2017
12	43	11 KV Electric Sub Station at Office Block 1 and Block 3, Kirtiwar Nagar East	NBCC	Kirtiwar Nagar Delhi	New Delhi	12/10/2017	16/10/2017	Prakash Khichi, Dir	Inspection Report Under preparation
13	43	HT Panel CSS, DG	Delhi International Airport Ltd	Delhi	Delhi	13/10/2017	18/10/2017	Goutam Kew, CE	Inspection Report issued on 18/10/2017
14	43	11/0.433 KV - 2 x 630 KVA Outdoor Compact Substations	CIC	Old JNU Campus Amer	Delhi	16/10/2017	23/10/2017	Prakash Khichi, Dir	Approval issued on 24/10/2017
15	43	400 K.V D/C AMER - AMER T/L	PGCIL	Amer	Rajasthan	14/09/2017	12/10/2017	Prakash Khichi, Dir	Inspection Report issued on 16/10/2017
16	43	765KV Chittorgarh Amer T/L Part I Part II	PGCIL	Chittorgarh	Rajasthan	16/09/2017	13/10/2017	Prakash Khichi, Dir	Inspection Report issued on 14/10/2017
17	43	400KV D/C Chittorgarh - Chittorgarh	PGCIL	Chittorgarh	Rajasthan	20/09/2017	13/10/2017	Prakash Khichi, Dir	Inspection Report issued on 14/10/2017
18	43	11KV Over head line	NLC	Bikaner	Rajasthan	27/09/2017	18/10/2017	Prakash Khichi, Dir	Inspection Report Under preparation
19	30	Panipat Naphtha Cracker Plant	IOCL	Panipat Refinery	Haryana	29/04/2017	04/10/2017	Prakash Khichi, Dir	Approval issued on 10/10/2017
20	30	NTPC Faridabad Gas Power Station, Haryana	NTPC	Faridabad	Haryana	15/06/2017	06/10/2017	Prakash Khichi, Dir	Approval issued on 10/10/2017
21	30	Panipat Refinery, Indian Oil Corporation Limited, Oil and Gas Sector, Refining, Crude oil and Producing petroleum products	IOCL	Panipat	Haryana	11/08/2017	04/10/2017	Prakash Khichi, Dir	Inspection Report issued on 11/10/2017
22	30	Bharat Petroleum Corporation Limited, Naini LPG Bottling Plant	BPCL	Naini(Alwar)	U.P	22/08/2017	24/10/2017	Santosh Kumar, DD	Inspection Report issued on 31/10/2017
23	30	Bharat Petroleum Corporation Limited, LPG Bottling Plant	BPCL	Amechi	U.P	24/08/2017	24/10/2017	Santosh Kumar, DD	Inspection Report issued on 31/10/2017