No.21/7/2020-Adm(Coord.)/Welfare/20 Government of India Central Electricity Authority (Adm. Coord. Section)

5th Floor(N), Sewa Bhawan, R.K. Puram, New Delhi- 110 066

Dated the, 17th January, 2022

OFFICE MEMORANDUM

Sub: <u>Preventive measures to contain the spread of Novel Coronavirus (COVID-19)-Protocol to contain the spread of disease in the office.</u>

This is to inform that the following 04 more officers of CEA has been tested positive for Covid-19:

S.No.	Name & Designation	Div./Sec.	Floor	Lastly visited	Tested
1.	Sh. Shubro Paul, Director	F&CA Div.	4 th	office on 13.01.2022	Positive on
2.	Sh. Prem Chand Gupta	OPM Div.	6 th		17.01.2022
	Assistant Director-I Sh. Ashok Kumar Ram,			14.01.2022	17.01.2022
	Section Officeer Smt. P. Lakshmi,	Adm.Coord (Policy)	5 th	12.01.2022	15.01.2022
	Section Officer	IFD	5 th	13.01.2022	15.01.2022

- 2. The Protocol/SOP issued by Ministry of Health and Family Welfare time to time (latest on 05.01.2022) in this regard must be followed by the officers/staff, who came into contact with the above mentioned officers under intimation to their controlling officer and Admin Coord./Welfare Section, CEA immediately.
- 3. The entire 4th, 5th & 6th floors (N), Sewa Bhawan respectively have been sanitized/being sanitized.
- 4. Further, due to sudden surge of Covid-19 cases in the CEA, it is once again advice that all officers/officials to continue to follow Covid-appropriate behavior, even after vaccination, by frequent washing of hands/sanitization/wearing a mask/face cover and observing social distancing etc.

5. This issue with the approval of Competent Authority.

(Ashwani Kumar) Section Officer(Welfare)

To:

All officers/officials of CEA - through CEA Website.

Copy to: US(GS), CEA for rapid action as per SOP.

Copy for information to: Section Officers, Adm.I and Adm.II Section, CEA.