

No.21/7/2020-Adm(Coord.)/Welfare/20
Government of India
Central Electricity Authority
(Adm. Coord. Section)

5th Floor(N), Sewa Bhawan,
R.K. Puram, New Delhi- 110 066

Dated the, 14th January, 2022

OFFICE MEMORANDUM

**Sub: Preventive measures to contain the spread of Novel Coronavirus (COVID-19)-
Protocol to contain the spread of disease in the office.**

This is to inform that the following one more officer of CEA has been tested positive for Covid-19:

S.No.	Name & Designation	Div./Sec.	Floor	Lastly visited office on	Tested Positive on
1.	Sh. Sachin, Assistant Section Officer	Adm.I Sectors	5 th	12.01.2022	14.01.2022

2. The Protocol/SOP issued by Ministry of Health and Family Welfare from time to time (latest on 05.01.2022) in this regard must be followed by the officers/staff, who came into contact with the above mentioned officers under intimation to their controlling officer and Admin Coord.(Welfare) Section, CEA immediately.

3. The entire 5th floor (N), Sewa Bhawan has been sanitized.

4. Further, due to sudden surge of Covid-19 cases in the CEA, it is once again advice that all officers/officials to continue to follow Covid-appropriate behavior, even after vaccination, by frequent washing of hands/sanitization/wearing a mask/face cover and observing social distancing etc.

5. This issue with the approval of Competent Authority.


(Ashwani Kumar)
Section Officer(Welfare)

To :

All officers/officials of CEA – through CEA Website.

Copy to: US(GS), CEA for rapid action as per SOP.