

IMMEDIATE

No.21/7/2020-Adm(Coord.)/Welfare/46
Government of India
Central Electricity Authority
(Adm. Coord. Section)

5th Floor(N), Sewa Bhawan,
R.K. Puram, New Delhi- 110 066

Dated the, 25th January, 2022


OFFICE MEMORANDUM

Sub: Preventive measures to contain the spread of Novel Coronavirus (COVID-19)- Protocol to contain the spread of disease in the office.

This is to inform that the following 01 more officer of CEA has been tested positive for Covid-19:

S.No.	Name & Designation	Div./Sec.	Floor	Lastly visited office on	Tested Positive on
1.	Sh. Virendra Pal, Assistant Director	HPM Div.	7 th	21.01.2022	24.01.2022

2. The Protocol/SOP issued by Ministry of Health and Family Welfare time to time (latest on 05.01.2022) in this regard must be followed by the officers/staff, who came into contact with the above mentioned officer under intimation to their controlling officer and Admn. Coord. /Welfare Section, CEA immediately.
3. The entire 7th floor (N), Sewa Bhawan has been sanitized/being sanitized.
4. Further, due to sudden surge of Covid-19 cases in the CEA, it is once again advice that all officers/officials to continue to follow Covid-appropriate behavior, even after vaccination, by frequent washing of hands/sanitization/wearing a mask/face cover and observing social distancing etc.
5. This issue with the approval of Competent Authority.


(Ashwani Kumar)
Section Officer(Welfare)

To:

1. All officers/officials of CEA – through CEA Website.
Copy to: US(GS), CEA for rapid action as per SOP.
Copy for information to: Section Officers, Adm.I Section, CEA.