

IMMEDIATE

No.21/7/2020-Adm(Coord.)/Welfare/
Government of India
Central Electricity Authority
(Adm. Coord. Section)

5th Floor(N), Sewa Bhawan,
R.K. Puram, New Delhi- 110 066

Dated the, 04th July, 2022

OFFICE MEMORANDUM

Sub: Preventive measures to contain the spread of Novel Coronavirus (COVID-19)- Protocol to contain the spread of disease in the office.

This is to inform that the following 01 more officer of CEA has been tested positive for Covid-19:

S.No.	Name & Designation	iv./Sec.	Floor	Lastly visited office on	Tested Positive on
1.	Sh. Anil Raghuvanshi, Deputy Director	HPA Div.	3 rd Flr(N)	01.07.2022	30.06.2022

2. The Protocol/SOP issued by Ministry of Health and Family Welfare time to time (latest on 05.01.2022) in this regard must be followed by the officers/staff, who came into contact with the above mentioned officer under intimation to their controlling officer and Admn. Coord. /Welfare Section, CEA immediately.

3. The entire 3rd floor(N), Sewa Bhawan has already been sanitized/sanitized.

4. Further, it is once again advice that all officers/officials to continue to follow Covid-appropriate behavior, even after vaccination, by frequent washing of hands/sanitization/wearing a mask/face cover and observing social distancing etc.

5.. This issue with the approval of Competent Authority.

A Kumar
4/7/2022

(Ashok Kumar Ram)
Section Officer(Welfare)

To:

1. All officers/officials of CEA – through CEA Website.

Copy to: US(GS), CEA for rapid action as per SOP.

Copy for information to: Section Officers, Adm.I Section, CEA.